

Sienva is proud to present its new collection entitled LandStone which is based on natural stone Pavements, Walls, Slabs and Accessories. These products are destined to be part of the landscape with the intention of complementing and integrating personalized spaces with a high environmental quality. Since they are made of natural stone, they will be an added value to urban green areas, gardens and/or ecologically conditioned areas (RAN and REN areas). LandStone presents new technical solutions for its project, following the new tendencies in architecture and landscape, with a strong environmentally sustainable component. This collection represents an evolution regarding technological advances, costs, quality, reduction of the installation periods and better environmental performance.

**Landstone** integrates itself in the natural landscape!



## COLLECTION

### Pavements

**Rustic Pavement** (Portuguese Pavement): The Rustic Pavement is a kind of pavement used specially in public areas for walking or road traffic.

**Pavement "Split":** It is the ideal solution for paving large surfaces with natural stone. Produced to ensure two straight faces, lower and upper, while maintaining the four broken lateral faces. Ideal for walking purposes with the possibility of a sawn or flamed finishing.

### Flagstones:

**Slab Plano** - Offers the option to conceive large size pavements appropriate for public squares, areas with possible heavy traffic loads, trains stations, shopping centres. Places where the goal is not only to provide an attractive visual effect but also to support large loads. Despite its large dimension, this pavement can support heavy traffic loads.

### Slab Regular

**Slab Taco** - A compact pavement of reduced size. It offers a greater capacity to support heavy traffic loads and grants a greater freedom to create drawings on the pavement, granting a perfect application. Ideal for walking purposes with the option of a sawn or flamed finishing.

### Kerbstone

**Straight Kerb:** Pavement kerb, designed for delimiting two different planes. Its main purpose is to materialise level changes, mainly between the pavement and the road traffic band, hence delimiting functionally different areas.

**Curved Kerb:** It is a complementary accessory with curved longitudinal edges, designed to adapt to the curves' radius of both roads and pavements. Regarding their reference line, they can be described as concave and convex.

**Garden Kerb:** They are used to separate areas of different nature, green urban areas, walking areas, wall finishings and pipe systems of superficial waters. They have smaller dimensions and consequently are less robust than the pavement kerb and can occasionally admit a slow circulation of vehicles.

### Speed Reducing Kerb

# Pavement Rustic Pavement

## References

- 1A
- 1B
- 1C

## Description

Pavement

## Materials

Natural stone Sienito CVL Monchique  
 Natural stone Algarve Pearl



1A	1B	1C
Ref: 1A — 50x50	Ref: 1B — 100x100	Ref: 1C — 200x100
length x width x height	length x width x height	length x width x height
1A — 50 x 50 x 50 mm	1B — 100 x 100 x 100 mm	1C — 200 x 100 x 100 mm

# Pavement Split

## References

2A  
2B

## Description


Pavement

## Materials

Natural stone Sienito CVL Monchique  
Natural stone Algarve Pearl

## Finishing

Flamed  
Polished  
Honed  
Sawn



## 2A

Ref: 2A1 — 100x100

length x width x height

2A1.03	—	100 x 100 x	30 mm
2A1.04	—	100 x 100 x	40 mm
2A1.05	—	100 x 100 x	50 mm
2A1.06	—	100 x 100 x	60 mm
2A1.07	—	100 x 100 x	70 mm
2A1.08	—	100 x 100 x	80 mm
2A1.09	—	100 x 100 x	90 mm
2A1.10	—	100 x 100 x	100 mm

## 2B

Ref: 2B1 — 200x100

length x width x height

2B1.03	—	200 x 100 x	30 mm
2B1.04	—	200 x 100 x	40 mm
2B1.05	—	200 x 100 x	50 mm
2B1.06	—	200 x 100 x	60 mm
2B1.07	—	200 x 100 x	70 mm
2B1.08	—	200 x 100 x	80 mm
2B1.09	—	200 x 100 x	90 mm
2B1.10	—	200 x 100 x	100 mm

Ref: 2B2 — 200x200

length x width x height

2B2.03	—	200 x 200 x	30 mm
2B2.04	—	200 x 200 x	40 mm
2B2.05	—	200 x 200 x	50 mm
2B2.06	—	200 x 200 x	60 mm
2B2.07	—	200 x 200 x	70 mm
2B2.08	—	200 x 200 x	80 mm
2B2.09	—	200 x 200 x	90 mm
2B2.10	—	200 x 200 x	100 mm

# Pavement Slab Plano

## References

3A  
3B

## Description


Pavement

## Materials

Natural stone Sienito CVL Monchique  
Natural stone Algarve Pearl

## Finishing

Flamed  
Polished  
Honed  
Bush-hammered  
Sawn



### 3A (flagstone plano 80)

Ref: 3A1 — 800x600

length x width x height

3A1.02 — 800 x 600 x 20 mm  
3A1.03 — 800 x 600 x 30 mm  
3A1.04 — 800 x 600 x 40 mm  
3A1.05 — 800 x 600 x 50 mm  
3A1.06 — 800 x 600 x 60 mm  
3A1.07 — 800 x 600 x 70 mm  
3A1.08 — 800 x 600 x 80 mm  
3A1.09 — 800 x 600 x 90 mm  
3A1.10 — 800 x 600 x 10 mm

Ref: 3A2 — 800x800

length x width x height

3A2.02 — 800 x 800 x 20 mm  
3A2.03 — 800 x 800 x 30 mm  
3A2.04 — 800 x 800 x 40 mm  
3A2.05 — 800 x 800 x 50 mm  
3A2.06 — 800 x 800 x 60 mm  
3A2.07 — 800 x 800 x 70 mm  
3A2.08 — 800 x 800 x 80 mm  
3A2.09 — 800 x 800 x 90 mm  
3A2.10 — 800 x 800 x 100 mm

Ref: 3A3 — 800x1000

length x width x height

3A3.02 — 800 x 1000 x 20 mm  
3A3.03 — 800 x 1000 x 30 mm  
3A3.04 — 800 x 1000 x 40 mm  
3A3.05 — 800 x 1000 x 50 mm  
3A3.06 — 800 x 1000 x 60 mm  
3A3.07 — 800 x 1000 x 70 mm  
3A3.08 — 800 x 1000 x 80 mm  
3A3.09 — 800 x 1000 x 90 mm  
3A3.10 — 800 x 1000 x 100 mm

### 3B (flagstone plano 120)

Ref: 3B1 — 1200x800

length x width x height

3B1.02 — 1200 x 800 x 20 mm  
3B1.03 — 1200 x 800 x 30 mm  
3B1.04 — 1200 x 800 x 40 mm  
3B1.05 — 1200 x 800 x 50 mm  
3B1.06 — 1200 x 800 x 60 mm  
3B1.07 — 1200 x 800 x 70 mm  
3B1.08 — 1200 x 800 x 80 mm  
3B1.09 — 1200 x 800 x 90 mm  
3B1.10 — 1200 x 800 x 100 mm

Ref: 3B2 — 1200x1000

length x width x height

3B2.02 — 1200 x 1000 x 20 mm  
3B2.03 — 1200 x 1000 x 30 mm  
3B2.04 — 1200 x 1000 x 40 mm  
3B2.05 — 1200 x 1000 x 50 mm  
3B2.06 — 1200 x 1000 x 60 mm  
3B2.07 — 1200 x 1000 x 70 mm  
3B2.08 — 1200 x 1000 x 80 mm  
3B2.09 — 1200 x 1000 x 90 mm  
3B2.10 — 1200 x 1000 x 100 mm

Ref: 3B3 — 1200x1200

length x width x height

3B3.02 — 1200 x 1000 x 20 mm  
3B3.03 — 1200 x 1000 x 30 mm  
3B3.04 — 1200 x 1000 x 40 mm  
3B3.05 — 1200 x 1000 x 50 mm  
3B3.06 — 1200 x 1000 x 60 mm  
3B3.07 — 1200 x 1000 x 70 mm  
3B3.08 — 1200 x 1000 x 80 mm  
3B3.09 — 1200 x 1000 x 90 mm  
3B3.10 — 1200 x 1000 x 100 mm

# Pavement Slab Regular

## References

4A  
4B  
4C  
4D

## Description

Pavement

## Materials

Natural stone Sienito CVL Monchique  
Natural stone Algarve Pearl

## Finishing

Flamed  
Polished  
Honed  
Bush-hammered  
Sawn



### 4A (slab regular 30)

Ref: 4A1 — 300x100

length x width x height

4A1.02	—	300 x 100 x	20 mm
4A1.03	—	300 x 100 x	30 mm
4A1.04	—	300 x 100 x	40 mm
4A1.05	—	300 x 100 x	50 mm
4A1.06	—	300 x 100 x	60 mm
4A1.07	—	300 x 100 x	70 mm
4A1.08	—	300 x 100 x	80 mm
4A1.09	—	300 x 100 x	90 mm
4A1.10	—	300 x 100 x	100 mm

Ref: 4A2 — 300x200

length x width x height

4A2.02	—	300 x 200 x	20 mm
4A2.03	—	300 x 200 x	30 mm
4A2.04	—	300 x 200 x	40 mm
4A2.05	—	300 x 200 x	50 mm
4A2.06	—	300 x 200 x	60 mm
4A2.07	—	300 x 200 x	70 mm
4A2.08	—	300 x 200 x	80 mm
4A2.09	—	300 x 200 x	90 mm
4A2.10	—	300 x 200 x	100 mm

Ref: 4A3 — 300x300

length x width x height

4A3.02	—	300 x 300 x	20 mm
4A3.03	—	300 x 300 x	30 mm
4A3.04	—	300 x 300 x	40 mm
4A3.05	—	300 x 300 x	50 mm
4A3.06	—	300 x 300 x	60 mm
4A3.07	—	300 x 300 x	70 mm
4A3.08	—	300 x 300 x	80 mm
4A3.09	—	300 x 300 x	90 mm
4A3.10	—	300 x 300 x	100 mm

Ref: 4A4 — 300x600

length x width x height

4A4.02	—	300 x 600 x	20 mm
4A4.03	—	300 x 600 x	30 mm
4A4.04	—	300 x 600 x	40 mm
4A4.05	—	300 x 600 x	50 mm
4A4.06	—	300 x 600 x	60 mm
4A4.07	—	300 x 600 x	70 mm
4A4.08	—	300 x 600 x	80 mm
4A4.09	—	300 x 600 x	90 mm
4A4.10	—	300 x 600 x	100 mm

### 4B (slab regular 40)

Ref: 4B1 — 400x200

length x width x height

4B1.02	—	400 x 200 x	20 mm
4B1.03	—	400 x 200 x	30 mm
4B1.04	—	400 x 200 x	40 mm
4B1.05	—	400 x 200 x	50 mm
4B1.06	—	400 x 200 x	60 mm
4B1.07	—	400 x 200 x	70 mm
4B1.08	—	400 x 200 x	80 mm
4B1.09	—	400 x 200 x	90 mm
4B1.10	—	400 x 200 x	100 mm

Ref: 4B2 — 400x400

length x width x height

4B2.02	—	400 x 400 x	20 mm
4B2.03	—	400 x 400 x	30 mm
4B2.04	—	400 x 400 x	40 mm
4B2.05	—	400 x 400 x	50 mm
4B2.06	—	400 x 400 x	60 mm
4B2.07	—	400 x 400 x	70 mm
4B2.08	—	400 x 400 x	80 mm
4B2.09	—	400 x 400 x	90 mm
4B2.10	—	400 x 400 x	100 mm

Ref: 4B3 — 400x600

length x width x height

4B3.02	—	400 x 600 x	20 mm
4B3.03	—	400 x 600 x	30 mm
4B3.04	—	400 x 600 x	40 mm
4B3.05	—	400 x 600 x	50 mm
4B3.06	—	400 x 600 x	60 mm
4B3.07	—	400 x 600 x	70 mm
4B3.08	—	400 x 600 x	80 mm
4B3.09	—	400 x 600 x	90 mm
4B3.10	—	400 x 600 x	100 mm

Ref: 4B4 — 400x800

length x width x height

4B4.02	—	400 x 800 x	20 mm
4B4.03	—	400 x 800 x	30 mm
4B4.04	—	400 x 800 x	40 mm
4B4.05	—	400 x 800 x	50 mm
4B4.06	—	400 x 800 x	60 mm
4B4.07	—	400 x 800 x	70 mm
4B4.08	—	400 x 800 x	80 mm
4B4.09	—	400 x 800 x	90 mm
4B4.10	—	400 x 800 x	100 mm

### 4C (slab regular 50)

Ref: 4C1 — 500x250

length x width x height

4C1.02	—	500 x 250 x	20 mm
4C1.03	—	500 x 250 x	30 mm
4C1.04	—	500 x 250 x	40 mm
4C1.05	—	500 x 250 x	50 mm
4C1.06	—	500 x 250 x	60 mm
4C1.07	—	500 x 250 x	70 mm
4C1.08	—	500 x 250 x	80 mm
4C1.09	—	500 x 250 x	90 mm
4C1.10	—	500 x 250 x	100 mm

Ref: 4C2 — 500x500

length x width x height

4C2.02	—	500 x 500 x	20 mm
4C2.03	—	500 x 500 x	30 mm
4C2.04	—	500 x 500 x	40 mm
4C2.05	—	500 x 500 x	50 mm
4C2.06	—	500 x 500 x	60 mm
4C2.07	—	500 x 500 x	70 mm
4C2.08	—	500 x 500 x	80 mm
4C2.09	—	500 x 500 x	90 mm
4C2.10	—	500 x 500 x	100 mm

Ref: 4C3 — 500x1000

length x width x height

4C3.02	—	500 x 1000 x	20 mm
4C3.03	—	500 x 1000 x	30 mm
4C3.04	—	500 x 1000 x	40 mm
4C3.05	—	500 x 1000 x	50 mm
4C3.06	—	500 x 1000 x	60 mm
4C3.07	—	500 x 1000 x	70 mm
4C3.08	—	500 x 1000 x	80 mm
4C3.09	—	500 x 1000 x	90 mm
4C3.10	—	500 x 1000 x	100 mm

### 4D (slab regular 50)

Ref: 4D1 — 600x600

length x width x height

4D1.02	—	600 x 600 x	20 mm
4D1.03	—	600 x 600 x	30 mm
4D1.04	—	600 x 600 x	40 mm
4D1.05	—	600 x 600 x	50 mm
4D1.06	—	600 x 600 x	60 mm
4D1.07	—	600 x 600 x	70 mm
4D1.08	—	600 x 600 x	80 mm
4D1.09	—	600 x 600 x	90 mm
4D1.10	—	600 x 600 x	100 mm

Ref: 4D2 — 600x900

length x width x height

4D2.02	—	600 x 900 x	20 mm
4D2.03	—	600 x 900 x	30 mm
4D2.04	—	600 x 900 x	40 mm
4D2.05	—	600 x 900 x	50 mm
4D2.06	—	600 x 900 x	60 mm
4D2.07	—	600 x 900 x	70 mm
4D2.08	—	600 x 900 x	80 mm
4D2.09	—	600 x 900 x	90 mm
4D2.10	—	600 x 900 x	100 mm

Ref: 4D3 — 600x1200

length x width x height

4D3.02	—	600 x 1200 x	20 mm
4D3.03	—	600 x 1200 x	30 mm
4D3.04	—	600 x 1200 x	40 mm
4D3.05	—	600 x 1200 x	50 mm
4D3.06	—	600 x 1200 x	60 mm
4D3.07	—	600 x 1200 x	70 mm
4D3.08	—	600 x 1200 x	80 mm
4D3.09	—	600 x 1200 x	90 mm
4D3.10	—	600 x 1200 x	100 mm

# Pavement Slab Taco

## References

5A  
5B

## Description

Pavement

Natural stone Sienito CVL Monchique  
Natural stone Algarve Pearl

## Finishing

Flamed  
Polished  
Honed  
Bush-hammered  
Sawn



### 5A (slab taco 10)

Ref: 5A1 — 100x100

length x width x height

5A1.03	—	100 x 100 x	30 mm
5A1.04	—	100 x 100 x	40 mm
5A1.05	—	100 x 100 x	50 mm
5A1.06	—	100 x 100 x	60 mm
5A1.07	—	100 x 100 x	70 mm
5A1.08	—	100 x 100 x	80 mm
5A1.09	—	100 x 100 x	90 mm
5A1.10	—	100 x 100 x	100 mm

### 5B (slab taco 20)

Ref: 5B1 — 200x100

length x width x height

5B1.03	—	200 x 100 x	30 mm
5B1.04	—	200 x 100 x	40 mm
5B1.05	—	200 x 100 x	50 mm
5B1.06	—	200 x 100 x	60 mm
5B1.07	—	200 x 100 x	70 mm
5B1.08	—	200 x 100 x	80 mm
5B1.09	—	200 x 100 x	90 mm
5B1.10	—	200 x 100 x	100 mm

Ref: 5B2 — 200x200

length x width x height

5B2.03	—	200 x 200 x	30 mm
5B2.04	—	200 x 200 x	40 mm
5B2.05	—	200 x 200 x	50 mm
5B2.06	—	200 x 200 x	60 mm
5B2.07	—	200 x 200 x	70 mm
5B2.08	—	200 x 200 x	80 mm
5B2.09	—	200 x 200 x	90 mm
5B2.10	—	200 x 200 x	100 mm

# Kerbstone Straight Kerb

## References

7A

## Description


Kerbstone

## Materials

Natural stone Sienito CVL Monchique  
Natural stone Algarve Pearl

## Finishing

Flamed  
Sawn



## 7A

Ref: 7A1 — 200 mm \*

	width x height								
7A1.08	80 x 200 mm	.08	.10	.12	.15	.20	.25	.30	200
7A1.10	100 x 200 mm								
7A1.12	120 x 200 mm								
7A1.15	150 x 200 mm								
7A1.20	200 x 200 mm								
7A1.25	250 x 200 mm								
7A1.30	300 x 200 mm								

Ref: 7A2 — 220 mm \*

	width x height								
7A2.08	80 x 220 mm	.08	.10	.12	.15	.20	.25	.30	220
7A2.10	100 x 220 mm								
7A2.12	120 x 220 mm								
7A2.15	150 x 220 mm								
7A2.20	200 x 220 mm								
7A2.25	250 x 220 mm								
7A2.30	300 x 220 mm								

Ref: 7A3 — 250 mm \*

	width x height								
7A3.08	80 x 250 mm	.08	.10	.12	.15	.20	.25	.30	250
7A3.10	100 x 250 mm								
7A3.12	120 x 250 mm								
7A3.15	150 x 250 mm								
7A3.20	200 x 250 mm								
7A3.25	250 x 250 mm								
7A3.30	300 x 250 mm								

Ref: 7A4 — 300 mm \*

	width x height								
7A4.08	80 x 300 mm	.08	.10	.12	.15	.20	.25	.30	300
7A4.10	100 x 300 mm								
7A4.12	120 x 300 mm								
7A4.15	150 x 300 mm								
7A4.20	200 x 300 mm								
7A4.25	250 x 300 mm								
7A4.30	300 x 300 mm								

Random lengths between 600 mm e 1000 mm

side view  
0.4 m  
scale 1:20

## General Conditions of Sale

### 1 Scope of Application

These General Conditions of Sale govern commercial relations between SIENAVE - Sienitos do Algarve, Lda and the COSTUMER, and apply to all sales of products ordered by the Customer. Any agreements in writing signed between the parties for the same purpose shall prevail over these General Conditions of Sale, and the principles set out herein shall apply where such agreements are silent.

Any amendment to this document shall only be valid where made in writing by Sienave.

### 2 Orders

The Customer must place orders in writing, which will only be deemed definitively accepted following confirmation in writing by Sienave.

Unless otherwise agreed, the customer undertakes to pay 30% of the value of the order by way of advance.

### 3 Delivery Dates

The dates of delivery or supply of the product ordered are notified to the customer purely for information, and Sienave will not be liable for any penalty in the event of delay in such delivery or supply. Sienave reserves the right to supply and invoice products in stages.

### 4 Transport

All products are transported at the customer's risk and expense unless otherwise agreed in writing.

### 5 Liability

It is expressly agreed that Sienave will bear no liability for direct or indirect losses or damage caused or suffered by the supplied products, including those resulting from defective application/installation, use, cleaning or maintenance.

The products sold by Sienave are of natural stone and may therefore be subject to variations in colour, texture and appearance. Sienave will bear no liability for their physical and mechanical behaviour.

### 6 Claims

All deliveries should be inspected immediately by the customer and any defects should be notified in writing to Sienave within 8 days of the date of delivery.

No claims will be entertained after the products have been applied/installed.

### 7 Prices

All sales are made EX-WORKS.

Prices are subject to change, in whole or in part, without notice.

### 8 Retention of Ownership

Pursuant to Article 409, paragraph 1 of the Civil Code, Sienave shall retain ownership of the products until full payment for them has been made.

### 9 Payment

The payment terms are stated on the invoice. Unless otherwise stated, all invoices are payable on sight.

The due dates of invoices are calculated from the date of issue of the invoice.

Failure to pay on the due date shall result in the loss by the customer of any discounts to which he may be entitled.

In the event of late payment, the amount in arrears will attract interest at the maximum official rate prescribed in law (Article 102 of the Commercial Code).

### 10 Acceptance of Conditions of Sale

The placing of an order implies full acceptance of the conditions of contract stipulated herein.

### 11 Jurisdiction

In the event of any dispute, the competent court will be decided by Sienave.